


THE NEW
GENETIC
CHARACTERISTICS
OF POST PRESS
MACHINERY




Retratto

○FFSET DIGITAL POST PRESS
MACHINES

TAPE APPLICATORS

Double-adhesive tape, silicone tape and tear strip applicators



SE 12 / SE 12SB


TAPE APPLICATOR AND TEAR STRIP

Automatic double-adhesive tape and tear strip applicator with unwinding unit for tear strip. It applies strips or full lines of double side adhesive tapes: the tape can be applied to any part of the sheet.


TEAR STRIP

TECHNICAL DATA

- Available applicator sizes:
 - model 1"** max. 26 mm - min. 4 mm – Tear 4 mm
 - model 2"** max. 50 mm - min. 4 mm
- Max. speed: 50 m/min




54-D




10-D




10-B



10-A



9-A



SILICONE TAPE APPLICATOR

Motor-driven automatic applicator for silicone tape coils on a spread glue line.

TECHNICAL DATA

- Min. / max. tape width - size control on request
- Max. speed: 45 m/min

They can be used with other equipments (folding gluing machines, vacuum belts, etc) with or without independent programming.

GECO 160

Semi automatic machine for tape applicators



Simple and user-friendly

Manual infeed of paper, plastic, wood, leather, etc.

Independent automatic auto-teaching with automatic application of the set up tape length



Programmable spots with regular and irregular gaps

Magnetic positioning lays

Programmable touch screen

TECHNICAL DATA

- Max. speed: 50 m/min
- Size: 1600 mm
- Grammage: min. 100 g



Petratto

OFFSET DIGITAL POST PRESS
MACHINES



PETRATTO srl

Via Don Minzoni, 1 - 10044 PIANEZZA (TO) - ITALY
Tel: + 39 0119667701 / 702 / 703 - Fax: +39 0119667708
www.petratto.com - e-mail: petratto@petratto.com