



ARGOX
a  company



D4-280plus



- Max. 6 IPS
- 16MB Flash & 32MB SDRAM
- New Printer tool – All in one
- Web tool support
- ArgoBar Pro support
- Bartender software support
- LINUX / MacOS / Raspberry Pi / Windows driver support
- iLabel Print support (Android only)

❖ D4-280plus



- USB device
- LAN IPv6
- USB host
- RS-232
- WLAN Support Support (Dealer option)
- BT v2.1 Support (Dealer option)

New Modular Design

Easy to disassemble and replace

New Modular Design


Easy to disassemble and replace




- Auto-detect emulations.
- Disassemble Print head, roller, and cutter without tool.

Remove and Install our cutter with **No Tools**

Special coating to prevent paper jam





Slide two levers as indicated by the arrows



Open the Paper Guide for cleaning.



Use the Scraper to remove adhesive residues from the cutter blade and paper guide



Use the Cleaner Pen to clean the blade surface and paper guide



D4-280plus promotion video



P4-650



- Max. 4 IPS
- 16MB Flash & 32MB SDRAM
- New Printer tool – All in one
- Web tool support
- ArgoBar Pro support
- Bartender software support
- LINUX / MacOS / Raspberry Pi / Windows driver support
- iLabel Print support (Android only)

P4-650



Other Brand





3mm*3mm Labels



600dpi has independent sensing structure and cable type, so it can not share the same auto detect feature of 203dpi and 300dpi.



P4-650 promotion video



AS-9400



AS-8060



AS-9400BT

MP3-200



- WiFi/BT combo module
- DRAM 128MB 、Flash 128MB
- Max Printing speed : 5ips

iX4-280



- DRAM 128MB 、Flash 128MB
- Max Printing speed : 10ips
- 20*2 lines mono backlit LCD

XM4-200



- DRAM 128MB 、Flash 128MB
- Max Printing speed : 12ips
- 3.5" Color LCD

Thank you